



39

Hard metal brazed tips, type 39. Design and dimensions

25416-90


25.100
77.160
19 6000

01.07.93

1.

2.

1.



*

1

| | <i>l</i> | <i>b</i> | | | | |
|-------|----------|----------|-----|------|---|-------------------|
| 39010 | 18 | 2,5 | 2,5 | 1,25 | | 2, 3, 8, 9, 10 |
| 39030 | 20 | 3,0 | 3,0 | 1,50 | | 2, 3, 8, 9, 10 |
| 39050 | 25 | 5,0 | 4,0 | 2,50 | 2 | 3, 8, 9, 10 |
| 39130 | 32 | 6,0 | 5,0 | 3,00 | 2 | 3, 8, 9, 10 |
| 39150 | 36 | 8,0 | | 4,00 | | 2, 3, 8, 9, 10 |
| 39110 | 40 | 10,0 | | 5,00 | | 2, 3, 8, 9, 10 |

- 3. — 25393.
 - 4.
 - 5. — 2209.
 - 6. : 2— 15 6, 3— 14 8, 8— 6- , 6- ,
- 9- 6, 10- 8.

2

| | 15 6 | 14 8 | 6- , 6- , 6 | 8 |
|-------|-------|-------|----------------|-------|
| 39010 | 1,25 | 1,26 | 1,66 | 1,64 |
| 39030 | 2,00 | 2,01 | 2,64 | 2,61 |
| 39050 | 5,52 | 5,55 | 7,30 | 7,20 |
| 39130 | 10,60 | 10,70 | 14,00 | 13,90 |
| 39150 | 15,90 | 16,00 | 21,00 | 20,70 |
| 39110 | 22,00 | 21,00 | 29,00 | 28,70 |

1.

2.

31.10.90 2764

3.

25416-82

4.

| | |
|----------|---|
| | |
| 2209-90 | 5 |
| 25393-90 | 3 |

5.